

**GENERAL DATA**

Division : Body Protection
Family : Protective Gloves
Range : Specific Protection
Brand formerly known as : PERFECT FIT
Business Countries
Middle East
United Kingdom
EMEA
Activity Domains :
Industry • Army - Defence • Fire Protection brigades

Product Use :

Protection of firemen.

This technical information note is only applicable to the firemen protection gloves which protect their hands during fire fighting, search, rescue and release operations.

PRODUCT ADVANTAGES**Feature :**

Yellow water repellent cowhide grain leather glove.
Gunn cut, winged thumb, gauntlet type.
Hand lined with Kevlar®/cotton jersey.
Water repellent grain leather yoke at the base of thumb and middle finger.
Veins protection.
Split leather cuff.
Velcro strap.
Stitch with Kevlar® thread.
Thickness leather only : 1.1/1.3 mm.

Benefit :**Comfort**

US assembly.

Elasticated, with a fastening tab, the glove offers good support. Hand lined with Kevlar cotton jersey for a better comfort of use.

Resistance

The silicone, water repellent cowhide grain leather ensures good flexibility at a low temperature, resisting water and offering good mechanical protection.

The Kevlar cotton lining provides protection against cuts and thermal hazards.

The Kevlar thread assembly ensures sturdy resistance of the seams with regard to the heat and wear, while offering the best possible thermal insulation.

TECHNICAL DESCRIPTION

Description :

CE CATEGORY : III Irreversible risks

In accordance with :

STANDARDS :

EN 420-2003 Basic standards

EN 388-2003 Mechanical hazards

EN 407-2004 Thermal hazards

EN 659-2004 Fireman hazards

CHARACTERISTICS

Yellow water repellent cowhide grain leather glove.

Gunn cut, winged thumb, gauntlet type.

Hand lined with Kevlar®/cotton jersey.

Water repellent grain leather yoke at the base of thumb and middle finger.

Veins protection.

Split leather cuff.

Velcro strap.

Stitch with Kevlar® thread.

Product Technology :

Cut and Sewn

Thickness :

leather only : 1.1/1.3 mm

Harmlessness :

In conformity with the European standards.

Dexterity :

Class 5

Size :

7 - 8 - 9 - 10 - 11

EN 407 - Heat and/or fire

Behaviour and/or fire : 4

Resistance to contact heat : 1

Resistance to convective heat : 3

Resistance to radiant heat : 3

Resistance to small metal splashes : X

Resistance to molten metal splashes : X

EN 388 - Mechanical hazards

Abrasion resistance : 4

Cutting resistance : 2

Tear resistance : 4

Perforation resistance : 3

ADDITIONAL INFORMATION

Storage Information :

Minimum packaging : 10 pairs.

Cartons of 50 pairs.

Care Instruction :

In order to keep its properties, this article should not be cleaned.

User manual number :

110

CERTIFICATION AND CONFORMITY

European Directives :

89/686/EEC

EC Category PPE* : Category III

Standards :

EN 407 / EN 659 / EN 420 / EN 388

Tagging :

CE 0075 SPERIAN

22 815 61 XX

EN 420

EC CONFORMITY DECLARATION

The manufacturer or its legal representative supplier settled in the European Community:

Sperian Protection Europe

Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:

Designation: FIREMAN

Reference: 2281561

Standard(s): EN 407 EN 659 EN 420 EN 388

This PPE is the object of the above EC attestation type:

Waiting for certification Number

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 Lyon Cedex 07

France

Made at Roissy, on the 06/06/2007

By: Cyril Veillat

Division: Body Protection





En exécution de la Directive 89/686/CEE du 21 décembre 1989 concernant le rapprochement des législations des états membres relatives aux équipements de protection individuelle et des décrets n° 92-765, 766 et 768 du 29 juillet 1992 portant transposition de cette directive en droit français,

Le CENTRE TECHNIQUE CUIR CHAUSSURE MAROQUINERIE - CTC
Parc Scientifique Tony Garnier - 4 rue Hermann Frenkel - 69367 LYON CEDEX 07,

identifié sous le numéro 0075

attribue :

**L'EXTENSION DE L'ATTESTATION D'EXAMEN CE DE TYPE
N° 0075/016/162/01/98/0013 - Ext. N° 01/09/00**

Au modèle d'équipement de protection individuelle suivant :

* **gant de protection en cuir contre les risques mécaniques et thermiques**
(chaleur et / ou feu)

* référence du modèle : **22 815 61 - 04**

* responsable de la mise sur le marché :

SOFRAF - GROUPE BACOU
Siège Social : ZI PARIS NORD II
13, rue de la Perdrix - B.P. 50398
95943 ROISSY CHARLES DE GAULLE CEDEX

La description du modèle de gant, les références des règles techniques vérifiées dans le cadre de l'examen CE de type ainsi que les marquages apposés sur le gant sont précisés en page 2 et 3 de cette attestation.

Fait à Lyon, le 26 septembre 2000

Etablie par Claire DESLANDES

CTC
CENTRE TECHNIQUE
CUIR
CHAUSSURE MAROQUINERIE
4, Rue Hermann Frenkel
69367 LYON Cedex 07
Tél. 04 72 76 10 10 - Fax 04 72 76 10 00

NOTA : Toute modification apportée au matériel neuf, objet de la présente attestation d'examen CE de type doit être portée à la connaissance de l'organisme habilité en application de l'article R 233-62 du Code du Travail ainsi que toute modification des informations contenues dans le dossier technique sur la base duquel l'attestation CE de type a été délivrée (changement de lieu, changement de raison sociale du fabricant, retrait de certificat d'assurance qualité...).

Cette attestation comporte 3 pages numérotées 1/3 - 2/3 et 3/3

CENTRE TECHNIQUE CUIR CHAUSSURE MAROQUINERIE

CTC Parc Scientifique Tony Garnier, 4, rue Hermann Frenkel, 69367 Lyon Cedex 07 France
Téléphone +33 4 72 76 10 10. Fax +33 4 72 76 10 01. E-Mail: CTC@asi.fr
Centre Technique Industriel. Loi du 22.07.1948. Siren 775649726. Code APE 911C